


# AQUABRASS

## Shower Faucet Specifications SF-D-02 / SF-D-02G





## FEATURES

Solid brass  
 Four water inlets/outlets - NPT/sweat or PEX or Wirsbo  
 Test cap  
 Single diverter body for a 2- or 3-way diverter  
 (shared and non-shared)  
 Accommodates any wall thickness




Choice of 2-way shared / non-shared 3-way shared /  
 unshared cartridges with or without stops

Single outlet flow rate: 10gpm (38 L/min at 45PSI)  
 Combine outlet flow rate: 12gpm (45 L/min at 45PSI)\*

## WARRANTY

Residential: Limited lifetime warranty to original purchaser  
 Commercial: Two years warranty  
 (Complete warranty available at [www.aquabrace.com/warranty](http://www.aquabrace.com/warranty))

## CODE & COMPLIANCE




# AQUABRASS

93923-93823-93933-93833

Trim set for independent diverter #61934

2-3 way shared functions and 2-3 way non-shared functions



## FEATURES

Solid brass plate  
Handle included  
Diverter with stop



## FINISHES


Standard  
Polished chrome (pc)  
Brushed nickel (bn)  
Electro black (ebk)  
Brushed gold (bgd)

Custom finishes available

## WARRANTY

Residential: Limited lifetime warranty to original purchaser  
Commercial: Two years warranty  
(Complete warranty available at [www.aquabrace.com/warranty](http://www.aquabrace.com/warranty))





## FEATURES

High flow thermostat cartridge

Universal inlets for 3/4" and 1/2" connections (built-in female threads for 1/2" connections and male threads for 3/4" connections)

Reversible service check valves with filters and improved stop mechanism

Italian made nickel plated solid brass rough and Vernet thermostatic cartridge

Requires **#1206** shut-off valve or **#61934** independent diverter


flow rate: 12 gpm at 45 psi


## WARRANTY

Residential: Limited lifetime warranty to original purchaser

Commercial: Two years warranty

(Complete warranty available at [www.aquabress.com/warranty](http://www.aquabress.com/warranty))





## FEATURES

Solid brass construction  
 screwless decorative trim  
 Thin contemporary style - 4 1/4" x 7 7/8" x 1/8"  
 Decorative cylinder (x1) for thermo control included  
 Handle included  
 Fits 1/2" thermo valve 12000 - 3/4" thermo valve 3000

## FINISHES

### Standard



Polished chrome (pc)  
 Brushed nickel (bn)

### Custom

15 custom finishes available  
 (ask your local Aquabrace authorized dealer for details)

## WARRANTY

Residential: Limited lifetime warranty to original purchaser  
 Commercial: Two years warranty  
 (Complete warranty available at [www.aquabrace.com/warranty](http://www.aquabrace.com/warranty))



## FEATURES

Solid brass construction  
1/2" NPT male connection

## FINISHES

Standard  
Polished Chrome (pc)  
Brushed Nickel (bn)

## WARRANTY


Residential: Residential: Limited lifetime warranty to original purchaser  
commercial: Two years warranty  
(Complete warranty available at [www.aquabrand.com/warranty](http://www.aquabrand.com/warranty))




4" square ceiling drop



16" square shower arm & flange





## FEATURES

Contemporary style  
Solid brass construction  
Silicone spray nozzles for easy cleaning  
1/2" NPT female connection



Flow rate: 2.5 gpm


## FINISHES

**Standard**  
Polished chrome (pc)  
Brushed nickel (bn)  
**Custom**  
19 custom finishes available  
(ask your local Aquabrain authorized dealer for details)

## WARRANTY

Residential: Residential: Limited lifetime warranty to original purchaser  
commercial: Two years warranty  
(Complete warranty available at [www.aquabrain.com/warranty](http://www.aquabrain.com/warranty))





## FEATURES

Square rail with adjustable sliding hook  
 Push button 3 functions: rain, mist, jet  
 5' to 6' expandable braided hose


Flow rate: 2.5 gpm  
 Height: 31 1/2"

## FINISHES

Standard  
 Polished chrome (pc)  
 Brushed nickel (bn)  
 Electro black (ebk)

## WARRANTY

Residential: Limited lifetime warranty to original purchaser  
 Commercial: Two years warranty  
 (Complete warranty available at [www.aquabrace.com/warranty](http://www.aquabrace.com/warranty))







**FEATURES**



Thermo insulation body  
 5/8" trim adjustment to elbow installation  
 1/2" NPT female connection

**FINISHES**

**Standard**  
 Polished chrome (pc)  
 Brushed nickel (bn)  
**Custom**  
 15 Custom finishes available  
 (ask your local Aquabrax authorized dealer for details)

**WARRANTY**

Residential: Limited lifetime warranty to original purchaser  
 Commercial: Two years warranty  
 (Complete warranty available at [www.aquabrax.com/warranty](http://www.aquabrax.com/warranty))



EXPLOSION PARTS

---

