Shower Faucet Specifications SF-D-04 / SF-D-04G





61934

2 & 3 way independent diverter



FEATURES

Solid brass

Four water inlets/outlets - NPT/sweat or PEX or Wirsbo Test cap

Single diverter body for a 2- or 3-way diverter (shared and non-shared)

Accomodates any wall thickness

Choice of 2-way shared / non-shared 3-way shared / unshared cartridges with or without stops

Single outlet flow rate: 10gpm (38 L/min at 45PSI) Combine outlet flow rate: 12gpm (45 L/min at 45PSI)*


WARRANTY


Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty

(Complete warranty available at www.aquabrass.com/warranty)

CODE & COMPLIANCE







Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.

Last revision: 10/28/2019 aquabrass.com

93923-93823-93933-93833

Trim set for independent diverter #61934

2-3 way shared functions and 2-3 way non-shared functions

FEATURES

Solid brass plate Handle included

Diverter with stop

FINISHES

Standard Polished chrome (pc) Brushed nickel (bn) Electro black (ebk) Brushed gold (bgd)


Custom finishes available


[34]

1 5/16"

WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)





Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.

last revision: 29/10/2019 aquabrass.com





FEATURES

High flow thermostat cartridge

Universal inlets for 3/4" and 1/2" connections (built-in female threads for 1/2" connections and male threads for 3/4" connections)

Reversible service check valves with filters and improved stop mechanism

Italian made nickel plated solid brass rough and Vernet thermostatic cartridge


Requires **#1206** shut-off valve or **#61934** independent diverter

flow rate: 12 gpm at 45 psi

WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty

(Complete warranty available at www.aquabrass.com/warranty)



Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.

Last revision: 10/22/2019 aquabrass.com

square



FEATURES

Solid brass construction screwless decorative trim Thin contemporary style - 4 1/4" x 7 7/8" x 1/8" Decorative cylinder (x1) for thermo control included Handle included Fits 1/2" thermo valve 12000 - 3/4" thermo valve 3000

FINISHES

Standard


Polished chrome (pc) Brushed nickel (bn)


Custom

15 custom finishes available (ask your local Aquabrass authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)





PLSCM77778

Square shower arm and ceilling drop set



FEATURES

Solid brass construction 1/2" NPT male connection

FINISHES


Standard Polished Chrome (pc) Brushed Nickel (bn)

WARRANTY

Residential: Residential: Limited lifetime warranty to original purchaser commercial: Two years warranty

(Complete warranty available at www.aquabrass.com/warranty)





Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.

rainhead 810

10" square

FEATURES

Contemporary style Solid brass construction Silicone spray nozzles for easy cleaning 1/2" NPT female connection

Flow rate: 2.5 gpm



Standard

Polished chrome (pc) Brushed nickel (bn)

Custom

19 custom finishes available (ask your local Aquabrass authorized dealer for details)


WARRANTY


Residential: Residential: Limited lifetime warranty to original

purchaser

commercial: Two years warranty

(Complete warranty available at www.aquabrass.com/warranty)





Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc.

Last revision: 11/06/2019

aquabrass.com

handshower set N3745

square handshower set with braided hose



FEATURES

Single function handshower Solid brass waterway with hook 5' to 6' expandable braided hose 1/2" NPT female connection

Flow rate: 2.5 gpm


FINISHES


Standard Polished Chrome (pc) Brushed Nickel (bn) Electro Black (ebk) Brushed Gold (bgd)

Custom Finishes available

WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)





Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.

Last revision: 11/10/2019 aguabrass.com