Shower Faucet Specifications SF-T-02



TURBO thermostatic valve with 5 shut-off valve



FEATURES

High flow thermostat cartridge

Universal inlets for 3/4" and 1/2" connections (built-in female threads for 1/2" connections and male threads for 3/4" connections)

Reversible service check valves with filters and improved stop mechanism

Italian made nickel plated solid brass rough and Vernet thermostatic cartridge

Shut-off valve outlets: connections right, left or both sides simultaneously

Designed to be installed vertically or honrizontally


Removable NPT plug at the top for an extra independent shut-off valve (#1206) or diverter with stop (#61934) connection


flow rate: 12 gpm at 45 psi

WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty

(Complete warranty available at www.aquabrass.com/warranty)





Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.

Last revision: 10/22/2019 aquabrass.com

SRH3595L

square/round trim set

aquabrass.com



FEATURES

Thermostat to the left Solid brass plate Handles included

FINISHES


Standard Polished chrome (pc) Brushed nickel (bn) Electro black (ebk) Brushed gold (bgd)

Custom finishes available

WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)


[48] [34] 1 7/8"



Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.

last revision: 28/10/2019

22" x 15" recessed rainhead



FEATURES

3 functions: rain, mist, rain chute

Chromatherapy: 16 color shades from 2 RGB LED lamps

Wallmount digital touchpad (3 settings)

Stainless steel construction

Thermostatic valve with 3 shut-off valves required

Flow rate: 2.5 gpm

INCLUDED WITH CURA 922: touchpad

1 on / off

2 color selection

3 chromatherapy function selector

(color rotation, color set, on / off)


FINISH

Polished stainless steel (pss)

WARRANTY

Residential / commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)

3 FUNCTIONS







Touchpad



Chromatherapy - 16 color shades





Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.

chute 2581

recessed cascading chute



1 FUNCTION



FEATURES

Function: cascade Stainless steel construction 7" wide cascading chute 1/2" NPT male connection

Width: 121/4" - height: 63/16"

Flow rate: 2.5 gpm

FINISHES


Standard


Polished chrome (pc) Brushed nickel (bn) Electro black (ebk) Brushed gold (bgd)

WARRANTY

Residential: Residential: Limited lifetime warranty to original purchaser commercial: Two years warranty

(Complete warranty available at www.aquabrass.com/warranty)






Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.

Last revision: 15/10/2019 aguabrass.com

complete shower rail



FEATURES

Square rail with adjustable sliding hook Push button 3 functions: rain, mist, jet 5' to 6' expandable braided hose

Flow rate: 2.5 gpm Height: 31 1/2"

FINISHES

Standard


Polished chrome (pc) Brushed nickel (bn) Electro black (ebk)

WARRANTY

Residential: Limited lifetime warranty to original purchaser

Commercial: Two years warranty

(Complete warranty available at www.aquabrass.com/warranty)



Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.

adjustable waterway 1408

aquabrass.com



FEATURES

Thermo insulation body 5/8" trim adjustement to elbow installation 1/2" NPT female connection

FINISHES

Standard

Polished chrome (pc) Brushed nickel (bn)

Custom


15 Custom finishes available (ask your local Aquabrass authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser

Commercial: Two years warranty

(Complete warranty available at www.aquabrass.com/warranty)



adjustable waterway 1408

square

EXPLOSION PARTS

