Shower Faucet Specifications SF-U-02 / SF-U-02G





TURBO thermostatic valve with diverter UNIPLEX 2/3 way



FEATURES

High flow thermostat cartridge

Universal inlets for 3/4" and 1/2" connections (built-in female threads for 1/2" connections and male threads for 3/4" connections)

Reversible service check valves with filters and improved stop mechanism

Italian made nickel plated solid brass rough and Vernet thermostatic cartridge


Shut-off valve outlets: connections right, left or both sides simultaneously

Removable NPT plug at the top for an extra independent shut-off valve (**#1206**) or diverter with stop (**#61934**) connection

flow rate: 12 gpm at 45 psi

WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)



Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.





square

FEATURES

Solid brass construction Screwless decorative trim Thin contemporary style - 4 1/4" x 12" x 1/8" Decorative cylinders (x2) for shut-off valve and thermo control Diverter cartridge included Handles (x2) Fits 1/2" thermo valve 12123


FINISHES


Standard

Polished chrome (pc) Brushed nickel (bn) Custom 15 custom finishes available (ask your local Aquabrass authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)





Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc. last revision: 18/08/2016

PLSCM77778

Square shower arm and ceilling drop set

FEATURES

Solid brass construction 1/2" NPT male connection

FINISHES

Standard


Polished Chrome (pc) Brushed Nickel (bn)

WARRANTY

Residential: Residential: Limited lifetime warranty to original purchaser commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)

2'





Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice. last revision: 10/23/2019

rainhead 810

10" square

FEATURES

Contemporary style Solid brass construction Silicone spray nozzles for easy cleaning 1/2" NPT female connection

2.5 gpm Flow rate:

FINISHES

Standard Polished chrome (pc) Brushed nickel (bn) Custom 19 custom finishes available


(ask your local Aquabrass authorized dealer for details)

WARRANTY

Residential: Residential: Limited lifetime warranty to original purchaser

commercial: Two years warranty

(Complete warranty available at www.aquabrass.com/warranty)




• [250.00] 10" -																(•	
	0	\odot	0	0	\odot	\odot	\odot	0	0	0	o	0	0	0	\odot	0	1	
	\odot	\odot	\odot	0	\odot	\odot	\odot	\odot	0	\odot	\odot	\odot	\odot	0	\odot	\odot		
	\odot																	
	\odot	\odot	\odot	\odot	0	\odot												
	\odot	\odot	\odot	\odot	0	0	\odot	0	\odot	0	\odot	\odot	\odot	0	\odot	\odot		
	\odot	\odot	\odot	\odot	0	\odot	\odot	\odot	\odot	0	\odot	\odot	\odot	0	0	\odot	50.50	o o 1
	\odot	[250.0 10 ⁴	-															
	\odot	0	\odot	0	\odot	\odot	10											
	\odot	\odot	\odot	\odot	0	\odot	\odot	\odot	\odot	0	\odot	\odot	\odot	0	\odot	\odot		
	\odot	\odot	\odot	•	\odot	\odot	\odot	\odot	0	\odot	\odot	\odot	\odot	0	\odot	\odot		
	\odot	\odot	\odot	0	0	0	0	0	0	\odot	0	0	0	\odot	\odot	\odot		
	\odot	\odot	0	\odot	\odot	•	0	0	\odot	•	0	\odot	0	\odot	0	\odot		
	\odot	\odot	0	0	0	0	0	•	0	Θ	0	0	0	\odot	\odot	0		
	\odot	\odot	0	0	\odot	0	0	0	\odot	0	0	0	0	\odot	0	\odot		
	Θ	\odot	0	0	\odot	0	\odot	0	0									

Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc. Last revision: 11/06/2019







FEATURES

Square rail with adjustable sliding hook Push button 3 functions: rain, mist, jet 5' to 6' expandable braided hose

Flow rate: 2.5 gpm Height: 31 1/2"


FINISHES

Standard Polished chrome (pc)

Brushed nickel (bn) Electro black (ebk)

WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)



Aquabrass cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.

adjustable waterway 1408



FEATURES

Thermo insulation body 5/8" trim adjustement to elbow installation 1/2" NPT female connection


FINISHES

Standard

Polished chrome (pc) Brushed nickel (bn) **Custom** 15 Custom finishes available (ask your local Aquabrass authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)



Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc.


square



adjustable waterway 1408

square

EXPLOSION PARTS



Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc.