# 61" COLUMBUS CAST IRON DOUBLE ROLL TOP TUB

Cat. No. CTDRN61





L: 60" W: 30-1/8"

H:  $22-\frac{1}{2}$ " (from floor to top of tub)

17-3/8" (from bottom of tub to top of tub)

Water depth: 17-3/8" to top of tub Water depth: 13-5/8" to overflow

The following is recommended for CTDRN tubs without faucet holes:

•Faucet: part #4602, 4604 or 7082

•Rigid, freestanding supplies: part #4502

•Leg tub drain: part #5599

Gallon Capacity: 60
Shipping Weight: 480 lbs.
Empty Weight: 300 lbs.
Filled Weight: 801 lbs.

## Features:

- ► Inside finish is white enamel
- ► Cast Iron imperial feet
- ► Tub exterior is white (expoxy)
- ▶ Pre-drilled overflow hole
- No faucet holes
- ► Continuous rolled rim
- ► Feet are attached and leveled before shipment
- ► Tub is thoroughly inspected before shipment

#### **Foot Finishes:**

**UF** Unfinished

**BL** Painted Black

**BQ** Painted Bisque

**PB** Polished Brass



**CP** Polished Chrome


WH Painted White


PN Polished Nickel

SN Brushed Nickel

**ORB** Oil Rubbed Bronze

**Custom Colors Available** (inside of tub is always white enamel): Painted bathtubs are considered "special order" and are not returnable \$160 Bisque or Black \$250 Designer Color





# **TUB WALL MOUNT FILLER WITH HANDSHOWER**


Cat. No. 4602







Adjustable Swivel Mounts




### **Features:**

- ► Brass construction
- ► Elephant spout length is 5-3/4"
- ► Flow rate is 3.7 GPM
- ► Available with porcelein lever (4602-PL) or metal cross handles (4602-MC)
- ► Telephone handshower with cradle and hose
- ► Handshower flow rate 2.5 GPM
- ► Handshower includes backflow preventer
- ► Swivel mounts adjust centers from 3" to 12"
- ► Faucet centers are 7" without swivel mounts
- ► For tub wall mount installation
- ► ¼ turn ceramic disc cartridges
- ► To be used with double offset bath supplies, Part #5576
- ► This faucet can also be used with rigid freestanding supplies, Part #4502 with adjustable swivel mounts removed

#### Finishes:

**BP** Polished Brass **CP** Polished Chrome **ORB** Oil Rubbed Bronze **SN** Brushed Nickel PN Polished Nickel



# TUB WALL MOUNT FILLER WITH HANDSHOWER


Cat. No. 4604











#### Features:

- ► Brass construction
- ► Elephant spout length is 5-3/4"
- ► Flow rate is 3.7 GPM
- ► Available with metal cross handles (4604-MC) or metal lever handles in 2 different styles (4604-ML, 4604-ML2)
- ► Metal cross handles feature "H" and "C" for hot and cold
- ► Metal telephone style hand shower with cradle and hose
- ► Handshower flow rate 2.5 GPM
- ► Handshower includes backflow preventer
- ► Swivel Mounts adjust centers from 3" to 12"
- ► Faucet centers are 7" without swivel mounts
- ► For tub wall installation
- ► 1/4 Turn ceramic disc cartridges
- ► To be used with double offset bath supplies, Part #5576
- ► This faucet can also be used with rigid freestanding supplies, Part #4502 with adjustable swivel mounts removed

#### Finishes:

**BP** Polished Brass

SN Brushed Nickel


**CP** Polished Chrome

PN Polished Nickel

**ORB** Oil Rubbed Bronze



Adjustable Swivel Mounts



Dimensions are nominal and may vary. Dimensions and specifications subject to change without notice.

## **FREESTANDING BATH SUPPLIES**

Cat. No. 4502-PL



▶ 0.800" Outer diameter

▶ 0.595" Inner diameter ▶ 0.090" Thickness of wall



30" (30-1/2" with nut)



## **Features:**

- ▶ 5" Shaft included
- ► Stops included
- ►½" Pipe thread inlet
- ▶¾" Flare outlet
- ► Wall support assemblies included
- ► Porcelain lever handles
- ► Available in 5 finishes
- ► Should not be used with leg tubs that have factory drilled holes.

#### Finishes:

SN

CP Polished Chrome PΝ Polished Nickel BP Polished Brass

**ORB** Oil Rubbed Bronze **Brushed Nickel** 

> Front to Back 22" 30 1/2" 5 1/2"

Use on concrete floors requires special installation. We recommend using a plumbing proffessional.

Dimensions are nominal and may vary. Dimensions and specifications subject to change without notice.

# LEG TUB DRAIN

Cat. No. 5599






Escutcheon Height: 1-1/4"

## **Features:**

- ► Brass Construction
- ► Twist-and-lift stopper
- ► Includes deep escutcheon
- ► Height adjustable 15"-18"
- ▶ Depth adjustable 12"-14"
- ► Includes deep escutcheon
- ► Available in 5 Finishes

#### Finishes:

CP Polished ChromeBP Polished BrassSN Brushed NickelPN Polished NickelORB Oil Rubbed Bronze



Dimensions and specifications subject to change without notice.