# MARSHALL 72" CAST IRON DOUBLE SLIPPER TUB WITH BASE

Cat. No.





L: 72 " L (Base): 48" W: 30 1/2" W (Base): 26"

H: 29 1/2" (from floor to top of tub)

H(Base): 8 1/2"

**Meets or exceeds** the following specifications: A112-19-1M 1994.

The following is recommended for CTDSNB tubs without faucet holes:

■Faucet: Part# 4602

■Rigid, freestanding supplies: Part# **4502** 

■Leg tub drain: Part# 5599


Gallon Capacity: 43 1/2
Shipping Weight: 740 lbs.
Empty Weight: 490 lbs.
Filled Weight: 854 lbs.

## **Features:**

- ► Inside finish is white enamel
- ► No faucet holes
- ► Tub exterior is white
- ► Non-skid strips
- ► Cutout in base for waste and overflow
- ► Tub and base combinations ship on 1 pallet



Custom Colors Available (inside of tub is always white enamel): Painted bathtubs are considered "special order" and are not returnable \$160 Bisque or Black \$250 Designer Color



Dimensions of fixture are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. Dimensions and specifications subject to change without notice.

# **TUB WALL MOUNT FILLER WITH HANDSHOWER**

Cat. No. 4602





### Features:

- ▶ Brass construction
- ► Elephant spout length is 5"
- ► Spout flow rate is 3.70 GPM
- ► Available with porcelein lever (4602-PL) or metal cross handles (4602-MC)
- ► Telephone handshower with cradle and hose
- ► Handshower flow rate 2.5 GPM
- ► Handshower includes backflow preventer
- ► Swivel mounts adjust centers from 3" to 12"
- ► Faucet centers are 7" without swivel mounts
- ► For tub wall mount installation
- ► ¼ turn ceramic disc cartridges
- ► To be used with double offset bath supplies, Part #5576
- ► This faucet can also be used with rigid freestanding supplies, Part #4502 with adjustable swivel mounts removed

#### Finishes:


**BP** Polished Brass **CP** Polished Chrome


**ORB** Oil Rubbed Bronze

**SN** Brushed Nickel PN Polished Nickel



Adjustable Swivel Mounts





# TUB WALL MOUNT FILLER WITH HANDSHOWER


Cat. No. 4604











#### Features:

- ► Brass construction
- ► Elephant spout length is 5-3/4"
- ► Flow rate is 3.7 GPM
- ► Available with metal cross handles (4604-MC) or metal lever handles in 2 different styles (4604-ML, 4604-ML2)
- ► Metal cross handles feature "H" and "C" for hot and cold
- ► Metal telephone style hand shower with cradle and hose
- ► Handshower flow rate 2.5 GPM
- ► Handshower includes backflow preventer
- ► Swivel Mounts adjust centers from 3" to 12"
- ► Faucet centers are 7" without swivel mounts
- ► For tub wall installation
- ► 1/4 Turn ceramic disc cartridges
- ► To be used with double offset bath supplies, Part #5576
- ► This faucet can also be used with rigid freestanding supplies, Part #4502 with adjustable swivel mounts removed

#### Finishes:

**BP** Polished Brass

SN Brushed Nickel


**CP** Polished Chrome

PN Polished Nickel

**ORB** Oil Rubbed Bronze



Adjustable Swivel Mounts



Dimensions are nominal and may vary. Dimensions and specifications subject to change without notice.

## FREESTANDING BATH SUPPLIES

Cat. No. 4502-PL





**H:** 30" (30 1/2" with nut)

**OD**: 1/2"




## **Features:**

- ▶5" Shaft included
- ► Stops included
- ▶1/2" Pipe thread inlet
- ►3/4" Flare outlet
- ► Wall support assemblies included
- ► Porcelain lever handles
- ▶ 0.800" Outer diameter
- ▶ 0.595" Inner diameter
- ▶ 0.090" Thickness of wall
- ► Available in 5 finishes

#### Finishes:

CP Polished Chrome
 BP Polished Brass
 SN Brushed Nickel
 PN Polished Nickel
 ORB Oil Rubbed Bronze



Dimensions are nominal and may vary. Dimensions and specifications subject to change without notice.

# LEG TUB DRAIN

Cat. No. 5599






Escutcheon Height is 1 1/4"

## Features:

- ► Twist-and-Lift Stopper
- ► Includes Deep Escutcheon
- ► Available in 5 Finishes

#### Finishes:

CP Polished ChromeBP Polished BrassSN Brushed NickelPN Polished NickelORB Oil Rubbed Bronze



Dimensions and specifications subject to change without notice.