60" FILLMORE DOUBLE ACRYLIC SLIPPER TUB

Cat. No.

ADTS60



- L: 60"
- W: 30"

H: $22-\frac{1}{2}$ " (from floor) short end 32" (from floor) tall end $16-\frac{1}{2}$ " (from bottom of tub) short end 26" (from bottom of tub) tall end

Water Depth: 11-1/2" to overflow



33 120 lbs. 62 lbs. 338 lbs.

Features:

- Inside finish is either white or bisque to match outside color
- ► Pre-drilled overflow hole
- ► No faucet holes
- ► Aluminum ball and claw feet
- Smooth acrylic surface inside and out
- ► Tubs ship with feet attached and leveled
- Tubs are thoroughly inspected before shipment

Tub ColorsWH WhiteBQ Bisque


Foot Finishes

- BQ Bisque
- BL Black
 - PB Polished Brass
 - **CP** Polished Chrome



BNBrushed NickelORBOil Rubbed BronzePNPolished NickelWHWhite

Custom Colors Available (inside of tub is always white enamel): Painted bathtubs are considered "special order" and are not returnable \$160 Bisque or Black \$250 Designer Color



Dimensions are nominal and specifications subject to change without notice.

TUB WALL MOUNT FILLER WITH HANDSHOWER


Cat. No.

4602





Adjustable Swivel Mounts




Features:

- Brass construction
- ► Elephant spout length is 5-¾"
- ► Flow rate is 3.7 GPM
- Available with porcelein lever (4602-PL) or metal cross handles (4602-MC)
- ► Telephone handshower with cradle and hose
- ► Handshower flow rate 2.5 GPM
- ► Handshower includes backflow preventer
- Swivel mounts adjust centers from 3" to 12"
- ► Faucet centers are 7" without swivel mounts
- ► For tub wall mount installation
- ► ¹⁄₄ turn ceramic disc cartridges
- ► IAPMO approved
- ► To be used with double offset bath supplies, Part #5576
- This faucet can also be used with rigid freestanding supplies, Part #4502 with adjustable swivel mounts removed

Finishes:

BP Polished Brass **CP** Polished Chrome **ORB** Oil Rubbed Bronze SN Brushed Nickel PN Polished Nickel




FREESTANDING BATH SUPPLIES

Cat. No. 4502-PL





H: 30" (30-1/2" with nut)




Features:

- ► 5" Shaft included
- ► Stops included
- ► ¹⁄₂" Pipe thread inlet
- ▶ ³⁄₄" Flare outlet
- ► Wall support assemblies included
- ► Porcelain lever handles
- ► IAPMO approved
- ► Available in 5 finishes
- Should not be used with leg tubs that have factory drilled holes.

Finishes:

- CP Polished Chrome
- PN Polished Nickel
- **BP** Polished Brass
- ORB Oil Rubbed Bronze
- SN Brushed Nickel



Use on concrete floors requires special installation. We recommend using a plumbing proffessional. Dimensions are nominal and may vary. Dimensions and specifications subject to change without notice.

► 0.595" Inner diameter

▶ 0.090" Thickness of wall

▶ 0.800" Outer diameter

LEG TUB DRAIN

Cat. No.

5599






Escutcheon Height: 1-1/4"

Features:

- ► Twist-and-lift stopper
- ► Includes deep escutcheon
- ► Height adjustable 15"-18"
- ► Depth adjustable 12"-14"
- ► Includes deep escutcheon
- ► IAPMO approved
- ► Available in 5 Finishes

Finishes:

- CP Polished Chrome
- **BP** Polished Brass
- SN Brushed Nickel
- PN Polished Nickel
- **ORB** Oil Rubbed Bronze



Dimensions and specifications subject to change without notice.

"D" SHAPED SHOWER ROD

Cat. No.







"D" Rod Loop Connector




Rectangular Flange

Features:

- ▶ 1" Solid brass tubing
- Includes rectangular flanges(#300)
- Includes two "D" rod loop connectors (#331)
- Available In 3 Sizes: 48", 54", and 60" (#4145-48, #4145-54, and #4145-60)
- ► All rods come as four pieces
- ► Ceiling Supports Available (#340)
- ► Available in 5 finishes

Finishes:

CP Polished Chrome SN Brushed Nickel BP Polished Brass ORB Oil Rubbed Bronze PN Polished Nickel



Measurements Show Different Lengths For Each Size Rod.

Dimensions are nominal and may vary. Dimensions and specifications are subject to change without notice.