## 71" MARSHALL CAST IRON DOUBLE SLIPPER

- L: 72"
- W: 31"

H: 30" (from floor to top of tub) 26-<sup>3</sup>/<sub>4</sub>" (from floor to center of tub)

Water depth: 18-1/2" to top of tub Water depth: 12-1/4" to overflow



Shipping Weight: Empty Weight: Filled Weight: 43 ½ 544 lbs. 364 lbs. 728 lbs. Cat. No.

CTDSH



## Features:

- ► Inside finish is white enamel
- ► Cast Iron lion paw feet
- Tub exterior is white
- ► Non-skid strips
- ▶ 7" deck holes in long side of tub
- ► Pre-drilled overflow hole
- ► Feet are attached and leveled before shipment
- ► Tub is thoroughly inspected before shipment


#### Foot Finishes:

UF Unfinished BL Painted Black BQ Painted Bisque PB Polished Brass



- **CP** Polished Chrome
- WH Painted WhitePN Polished Nickel
- SN Brushed Nickel
- ORB Oil Rubbed Bronze


**Custom Colors Available** (inside of tub is always white enamel): Painted bathtubs are considered "special order" and are not returnable \$160 Bisque or Black \$250 Designer Color



## TUB RIM MOUNT FILLER WITH HANDSHOWER



#### 6" Elbow Mounts



Cat. No.





### Features:

- Brass construction
- ► Elephant spout length is 5-¾"
- ► Flow rate is 3.7 GPM
- ► Available with porcelain lever (4601- PL) or metal cross lever handles (4601-MC)
- ► Telephone handshower with cradle and hose
- ► Handshower flow rate 2.5 GPM
- ► Handshower includes backflow preventer
- ► 6" Elbow mounts included
- ► IAPMO approved
- ▶7" Centers for deck mounting on acrylic or cast iron tubs
- ▶ ¼ Turn ceramic disc cartridges
- ► To be used with straight bath supplies, Part #5577


#### Finishes:

SN

**BP** Polished Brass **CP** Polished Chrome

Brushed Nickel

- **PN** Polished Nickel **ORB** Oil Rubbed Bronze



Dimensions are nominal and may vary. Dimensions and specifications subject to change without notice.

09/21/2018

# STRAIGHT BATH SUPPLIES

Cat.No.

5577





**H:** 24"

**OD:** 1/2"

**Interior Dimensions:** 

Basin Interior: 13" x 11 7/8"

Basin Depth: 7 1/2"

Mount bolts height: 30"

Mount holes cc: 6"

Spout hole: 1 3/8"

### Features:


- ► For use with faucets mounted to the tub deck
- ► No stops
- ▶ <sup>1</sup>⁄<sub>2</sub>" Compression inlet
- ▶ ¾" Compression outlet
- ▶ Bottom flange 2-1/2" diameter
- ► 0.500" Outer diameter
- ► 0.400" Inner diameter
- ▶ 0.030" Thickness of the wall
- ► Available in 5 Finishes

#### Finishes:

- CP Polished Chrome
- SN Brushed Nicke
- **BP** Polished Brass
- **ORB** Oil Rubbed Bronze
- PN Polished Nickel

## Compliance Certification

Meets or exceeds the following specifications: ASME-A112 (and 19.6M) for Vitreous china fixtures. ASME 112.19.9M for fire clay fixtures.



Use on concrete floors requires special installation. We recommend using a plumbing proffessional.

Dimensions and specifications subject to change without notice.

## LEG TUB DRAIN

Cat. No.

5599






### Escutcheon Height: 1-1/4"

### Features:

- ► Twist-and-lift stopper
- ► Includes deep escutcheon
- ► Height adjustable 15"-18"
- ► Depth adjustable 12"-14"
- ► Includes deep escutcheon
- ► IAPMO approved
- ► Available in 5 Finishes

#### Finishes:

- CP Polished Chrome
- **BP** Polished Brass
- SN Brushed Nickel
- PN Polished Nickel
- **ORB** Oil Rubbed Bronze



Dimensions and specifications subject to change without notice.