# ECLIPSE SMART-HEAT™ PORTABLE

Dim the lights and turn up the heat with our Eclipse Smart-Heat™ Electric Portable heater.

Featuring a striking, elegant design, this powerful heater will bring both warmth and light to design-focused outdoor spaces.

### PRECISE CONTROL

Accurately adjust the heat output (0/33/66/100%) for complete control over the level of comfort.



### DIMMABLE LIGHT

Complete flexibility over level of brightness for the right amount of ambience.

#### PREMIUM CONSTRUCTION

Premium, corrosion-resistant, double-coated steel to ensure longevity of use and aesthetic appeal for years to come.

### UNIQUE DESIGN

Elegantly understated design that complements any design-focused outdoor environment.

### FLEXIBILITY OF USE

Stable base unit with wheels for easy manoeuvrability and flexibility over location



# **SPECIFICATIONS**

Reference the specification guide below to help you select the correct solution for your needs.


#### **MODEL NUMBER**


PRODUCT CODE	BH0820001
FUEL TYPE	ELECTRIC (3300W)
COLOR	MATTE BLACK
HEAT AREA	144FT <sup>2</sup>
LED COLOR	WARM WHITE - DIMMABLE
RATED CURRENT & VOLTAGE	12.9 A (220V) / 13.5 A (230V) / 14.1 A(240V)
MINIMUM FLOOR CLEARANCE	79"
MOUNTING OPTIONS	
FREESTANDING	✓
CONTROL OPTIONS	
DIMMER CONTROL	INCLUDED
42 CHANNEL REMOTE	BH3130012 (OPTIONAL)

# **DIMENSIONS**

With a wide range of sizes available, find the ideal heater to suit your outdoor space.

#### PRODUCT MEASUREMENTS





Measurements displayed within this document are minimum requirements for installation. Bromic takes no responsibility for incorrect or non-compliant installations.

All measurement in this document are displayed in inches.


# **CLEARANCE**

With a wide array of mounting options, Bromic offers solutions to compliment any décor and provide functionality for ambiance and comfort.

#### **FREESTANDING**

#### FRONT VIEW

### CEILING & WALL CLEARANCE




# **HEATING REACH**

Creating ideal comfort levels, Bromic heaters offer a variety of heat distribution options to suit your outdoor heating needs.

#### **HEAT AREAS**

#### 3300W SERIES

HEATING APPROXIMATELY 144FT<sup>2</sup> 3300W HEATING POWER



\*HEAT AREA DEPENDENT ON AMBIENT TEMPERATURE AND WIND. OPTIMUM CONDITIONS EXPERIENCED AT APPROX 60°F AND IN A LOW WIND COVERED ENVIRONMENT.

