



Spirits Cabinet CF4006



PART LIST



HARDWARE LIST

#1 #2		#3	#4	#5	
<i>// ·</i>	<i> </i>	#3	714		
			*******	**********	
M6x45			D7xØ3.5x12	D7xØ4x25	
Allen Bolt	Flat Washer	Spring Washer	Screw	Screw	
8 PCS	10 PCS (Extra 2)	10 PCS (Extra 2)		26 PCS (Extra 2)	
#6	#7	#8	#9	#10	
		(S)	(((()))	(A)	
Ø6x30		Ø9mmx5/32"x1"	Ø7x2.5x12mm	Ø15x12mm	
Wood Dowel	Handle	Round Head Bolt	Screw	Cam Lock	
4 PCS	3 PCS	6 PCS	26 PCS (Extra 2)	10 PCS (Extra 2)	
#11	#12	#13	#14	#15	
				(humm»	
Ø7*35mm	Ø8x30	M4		D6xØ3x12	
Cam Bolt	Wood Dowel	Allen Wrench	Safety Strap Kit	Screw	
10 PCS (Extra 2)	10 PCS (Extra 2)	1 PC	1 PC	10 PCS (Extra 2)	
#16	#17	#18			
Door Insert	Spring Hinge	Door Catch			
2 PCS	2 PCS	2 PCS			

ADDITIONAL TOOLS (Not Provided)


Note: It is not recommended to use powel tools during assembly.




Phillips Head Screwdriver

Step 1. Insert cam bolts (part #11) into pre-drilled holes of top panel (part A) by using phillips head screwdriver. Attach door catch (part #18) to left side panel (part B) and right side panel (part C) by using screws (part #15) and phillips head screwdriver. Attach door insert (part #16) to door panel (part I) by using screws (part #15) and phillips head screwdriver.


NOTE: Do not overtighten cam bolts. Stop tightening once threads on cam bolt are no longer visible.




Step 2. Attach handles (part #7) to door panel (part I) and front of drawer (part J) by using round head bolts (part #8) and phillips head screwdriver.



Step 3. Attach left side panel of drawer (part K) and right side panel of drawer (part L) to front of drawer (part J) by using screws (part #5) and phillips head screwdriver. Slide bottom panel of drawer (part N) into the grooves of left side panel of drawer (part K) and right side panel of drawer (part L). Attach back panel of drawer (part M) to left side panel of drawer (part K) and right side panel of drawer (part L) by using screws (part #5) and phillips head screwdriver.




Step 4. Attach legs (part F) to bottom frame (part D) by using allen bolts (part #1), flat washers (part #2), spring washers (part #3) and allen wrench (part #13).




Step 5. Insert wood dowels (part #12) and cam bolts (part #11) into bottom frame (part D) by using phillips head screwdriver as shown.

NOTE: Do not overtighten cam bolts. Stop tightening once threads on cam bolt are no longer visible.




Step 6. Attach fixed shelf (part E) to left side panel (part B) by using wood dowels (part #6), screws (part #5) and phillips head screwdriver as shown.



#5 **Ø**## x4


#6 **€** x2


Step 7. Attach fixed shelf (part E) to right side panel (part C) by using wood dowels (part #6), screws (part #5) and phillips head screwdriver as shown.



Step 8. Attach left side panel (part B) and right side panel (part C) to bottom frame (part D) by using wood dowels, cam locks (part #10) and philips head screwdriver.

NOTE: Cam locks must rotate full 180°. See pictured insert.







#10 (x 4

Step 9. Attach top panel (part A) to left side panel (part B) and right side panel (part C) by using cam locks (part #10), wood dowels (part#12) and phillips head screwdriver.


NOTE: Cam locks must rotate full 180°. See pictured insert.






#10 (x 4 #12 x 4

Step 10. Attach top back panel (part G) and bottom back panel (part H) into place by using screws (part #9) and phillips head screwdriver.




#9 **-**@ x 24


Step 11. Attach door panel (part I) to fixed shelf (part E) by using hinges (pre-assembled), screws (part #4) and phillips head screwdriver.





Step 12. Attach spring hinge (part #17) to left side panel (part B) and right side panel (part C) by using screws (part #4) and phillips head screwdriver.



Step 13. Slide completed drawers into place.







#14	Α	В	С	D	E
			D8*3/4"	D8*1-1/2"	
Safety Strap Kit 1 PC	Wall Anchor A x1 PC	Washer B x 2 PCS	Short Screw C x 1 PC	Long Screw D x 1 PC	Safety Wall Strap E x 1 PC

SAFETY STRAP WALL ASSEMBLY INSTRUCTION

- 1) Insert short screw (part #C) through washer (part #B) and safety wall strap (part #E) and screw it into the top center of top back panel (part G).
- 2) Drill a 11/32" hole where you want to secure your unit. The hole should be at the same height as the hole in the top center of top back panel (part G). Tap wall anchor (part #A) into the hole.
- 3) Insert long screw (part #D) through a washer (part #B) and wall safety strap (part #E) into wall anchor the top center of top back panel (part G).

Note: This item is not intended for clothing storage use.

