

Kitchen Cart CF3017



PART LIST

Α	В	C	D	E
Top Panel (Ships Separately) 1 PC	Left Side Panel 1 PC	Right Side Panel 1 PC	Left Partition Panel 1 PC	Right Partition Panel 1 PC
F	G	H		J
Bottom Panel	Top Rail	Front Rail	Front Middle Rail	Back Panel
1 PC	1 PC	2 PCS	1 PC	3 PCS
K	L	M	N .	O
Back Rail 2 PCS	Back Top Rail 1 PC	Front Top Rail 1 PC	Top Drawer Front Panel 3 PCS	Top Drawer Left Side Panel 3 PCS
P	Q	R	S	T
Top Drawer Right Side Panel 3 PCS	Top Drawer Back Panel 3 PCS	Bottom Drawer Front Panel 1 PC	Bottom Drawer Left Side Panel 1 PC	Bottom Drawer Right Side Panel 1 PC
U	V	W	X	Y
Bottom Drawer Back Panel 1 PC	Drawer Bottom Panel 4 PCS	Left Door Panel 1 PC	Right Door Panel 1 PC	Towel Bar Left Side Panel 1 PC

PART LIST

Z	ZA	ZB	ZC	ZD
Towel Bar Right Side Panel 1 PC	Towel Bar Support Panel 1 PC	Large Support Bar 1 PC	Small Support Bar 2 PCS	Small Towel Bar Panel 2 PCS
ZE	ZF	ZG	ZH	ZI
Small Towel Bar	Adjustable Shelf	Locking Caster	Caster	Leg
1 PC	2 PCS	2 PCS	2 PCS	4 PCS

HARDWARE LIST

#1	#2	#3	#4	#5
			A	
Ø8*30mm Large Wood	Ø6*30mm Small Wood	Cam Bolt	Cam Lock	Handle
Dowel 50 PCS (Extra 1)	Dowel 12 PCS (Extra 1)	7 PCS (Extra 1)	7 PCS (Extra 1)	4 PCS
	'	#8	#9	#10
	3/4"*Ø5/32"*D9mm		1-3/4"*Ø1/4"*D11mm	
Knob	Round Head Bolt	Barrel Nut	Long Bolt	Shelf Holder
2 PCS	10 PCS (Extra 1)	4 PCS	14 PCS (Extra 1)	8 PCS (Extra 1)
#11	#12	#13	#14	#15
N.A 4	12*Ø3*D6mm	12*Ø3*D6mm	.	12*Ø4*D9mm
Magnet	Small Round Head Screw	Black Screw	Door Hinge	Large Round Head Screw
2 PCS	16 PCS (Extra 1)	4 PCS (Extra 1)	4 PCS	16 PCS (Extra 1)
#16	#17	#18	#19	
	1-1/2"*Ø5/16"*D13mm			
Allen Wrench	Short Bolt	Flat Washer	Spring Washer	
1 PC	4 PCS (Extra 1)	4 PCS (Extra 1)	4 PCS (Extra 1)	


ADDITIONAL TOOLS (Not Provided)

Note: It is not recommended to use power tools during assembly.



Phillips Head Screwdriver


Please do not use tools to assemble this unit unless specifically indicated.




Reference the images above any time the instructions state "lock the hardware". Note: Be sure to check all hardware is locked when completed.

Note: Wood dowels are intended for alignment. Additional clearance between wood dowel and pre-drilled hole is intentional for ease of assembly.

Step 1. Attach handles (part #5) to top drawer front panel (part N) and bottom drawer front panel (part R) using round head bolts (part #7) and phillips head screwdriver. Attach knobs (part #6) to left door panel (part W) and right door panel (part X) using round head bolts (part #7) and phillips head screwdriver.




Step 2. Attach door hinges (part #14) to left door panel (part W) and right door panel (part X) using small round head screws (part #12) and phillips head




Step 3. Attach magnets (part #11) to left partition panel (part D) and right partition panel (part E) using black screws (part #13) and phillips head screwdriver. Insert cam bolts (part #3) to top panel (part A), left partition panel (part D) and right partition panel (part E) using phillips head screwdriver.


NOTE: Do not overtighten cam bolts. Stop tightening once threads on cam bolt are no longer visible.



Step 4. Attach top drawer left side panel (part O) and top drawer right side panel (part P) to top drawer back panel (part Q) using small wood dowels (part #2) and lock the hardware. Slide drawer bottom panel (part V) into grooves of assembled unit (parts O, P & Q). Attach top drawer front panel (part N) to assembled unit (parts O, P & V) using small wood dowels (part #2) and lock the hardware. Repeat for remaining drawers.




Step 5. Attach bottom drawer left side panel (part S) and bottom drawer right side panel (part T) to bottom drawer back panel (part U) and lock the hardware. Slide drawer bottom panel (part V) into grooves of assembled unit (parts S, T, & U). Attach bottom drawer front panel (part R) to assembled unit (parts S, T, & V) and lock the hardware.




Step 6. Attach top rail (part G), front rails (part H) and front middle rail (part I) to left partition panel (part D) using large wood dowels (part #1), cam lock (part #4) and lock the hardware.

NOTE: Cam locks must rotate a full 180°. See pictured insert.




Step 7. Attach top rail (part G), front rails (part H) and front middle rail (part I) to right partition panel (part E) using large wood dowels (part #1), cam lock (part #4) and lock the hardware.

NOTE: Cam locks must rotate a full 180°. See pictured insert.




8

Step 8. Attach bottom panel (part F) to left partition panel (part D) and right partition panel (part E) using large wood dowels (part #1), long bolts (part #9), barrel nuts (part #8) and allen wrench (part #16).




Step 9. Attach left side panel (part B) to bottom panel (part F) using large wood dowels (part #1), long bolts (part #9) and allen wrench (part #16).




#1 > x 2 #9 x 2 #16 x 1


Step 10. Carefully turn unit upright. Attach back rails (part K) to bottom panel (part F) using large wood dowels (part #1). Slide back panels (part J) into grooves of left side panel (part B) and back rails (part K).



Step 11. Attach back top rail (part L) to back rails (part K), back panels (part J) and left side panel (part B) using large wood dowels (part #1) and lock the hardware.




Step 12. Attach front top rail (part M) to left partition panel (part D), right partition panel (part E) and left side panel (part B) using large wood dowels (part #1) and lock the hardware. Attach right side panel (part C) to front top rail (part M), back top rail (part L), back panel (part J) and bottom panel (part F) using large wood dowels (part #1), long bolts (part #9), allen wrench



#1 🦠 x 5 #9 🥆 x 2 #16 🗪 x 1

Step 13. CASTER INSTALLATION


Attach locking casters (part ZG) and casters (part ZH) to bottom panel (part F) using large round head screws (part #15) and phillips head screwdriver.



#15 **>** x 16


Step 14. LEG INSTALLATION

Attach legs (part ZI) to left side panel (part B), right side panel (part C) and bottom panel (part F) using large wood dowels (part #1), flat washers (part #18), spring washers (part #19), short bolts (part #17) and allen wrench (part #16).




Step 15. Insert large support bar (part ZB) and small support bars (part ZC) into pre-drilled holes of towel bar right side panel (part Z). Attach towel bar support panel (part ZA) to towel bar right side panel (part Z) using large wood dowels (part #1) and lock the hardware. Attach towel bar left side panel (part Y) to towel bar support panel (part ZA), large support bar (part ZB) and small support bars (part ZC) using large wood dowels (part #1) and lock the

hardware.




#1 **%** x 4

Step 16. Attach assembled unit (parts Y, Z, ZA, ZB & ZC) to left side panel (part B) using large wood dowels (part #1), long bolts (part #9) and allen wrench (part #16). Attach small towel bar panels (part ZD) to right side panel (part C) using large wood dowels (part #1), long bolts (part #9) and allen wrench (part #16). Insert small towel bar (part ZE) through the holes of small towel bar panels (part ZD).




Step 17. Attach top panel (part A) to assembled unit (parts B, C, G, L & M) using large wood dowels (part #1) and cam locks (part #4).


NOTE: Cam locks must rotate a full 180°. See pictured insert.



Step 18. Place shelf holders (part #10) into desired position and then slide adjustable shelves (part ZF) into place.




Step 19. Attach right door panel (part X) to right side panel (part C) using installed door hinges (part #14), small round head screws (part #12) and phillips head screwdriver. Attach left door panel (part W) to left side panel (part B) using installed door hinges (part #14), small round head screws (part #12) and phillips head screwdriver.




Step 20. Slide assembled drawers into place. 15

ADJUST YOUR DOORS TO MAKE THE GAPS MORE EVEN (OPTIONAL).

STEP 1
Open the door.




STEP 2 Adjust the gap between door panel and side panel




Loosen the screw indicated a little, adjust the hinge to right position (see step 2a & 2b), then tighten the screw.

STEP 2a MOVE DOOR IN




Push the hinge back a little.

STEP 2b MOVE DOOR OUT




Pull the hinge forward a little.

STEP 3
To adjust the gap between two door




Loosen or tighten the screw indicated a little to adjust the gap between doors panels (see step 3a & step 3b)

STEP 3a MOVE DOOR RIGHT



Turn the screw clockwise a little as shown to make the gap small.

STEP 3b MOVE DOOR LEFT



Turn the screw counterclockwise a little as shown to make the gap big.