


|< 59" Inch >|


**SODURAVIT** 











Bathtub, individually packed	Dimension	Weight	Order number
rectangle, drop-in or for panel, outlet in foot area, cUPC® listed*, Sanitary acrylic , Filling capacity 26 gal			
Colors			
00 White			
Variant			
single packed, incl. support frame, Base tub	59" x 29 1/2" Inch	38.5 lb	700095000000092
Infobox			
Infobox  * Complies with the following standards: CSA B45.5/IAPMO	Z124		
* Complies with the following standards: CSA B45.5/IAPMO  Suitable products	Z124		
* Complies with the following standards: CSA B45.5/IAPMO  Suitable products  Tile flange ,	Z124		790112
* Complies with the following standards: CSA B45.5/IAPMO  Suitable products  Tile flange ,	Z124		790112 790220
* Complies with the following standards: CSA B45.5/IAPMO  Suitable products  Tile flange ,  Cable-driven waste and overflow ,  Bathtub anchors for mounting and support of D-Code/D-Nec			
* Complies with the following standards: CSA B45.5/IAPMO  Suitable products  Tile flange ,  Cable-driven waste and overflow ,  Bathtub anchors for mounting and support of D-Code/D-Nec bathtubs and D-Code shower trays, 3 pieces,			790220
* Complies with the following standards: CSA B45.5/IAPMO  Suitable products  Tile flange ,  Cable-driven waste and overflow ,  Bathtub anchors for mounting and support of D-Code/D-Nec bathtubs and D-Code shower trays, 3 pieces,  Panel front, for bathtubs, *, 59",			790220 790125
* Complies with the following standards: CSA B45.5/IAPMO  Suitable products  Tile flange ,  Cable-driven waste and overflow ,  Bathtub anchors for mounting and support of D-Code/D-Nec bathtubs and D-Code shower trays, 3 pieces,  Panel front, for bathtubs, *, 59",  Panel right, for bathtubs, *, 29 1/2",			790220 790125 701039
* Complies with the following standards: CSA B45.5/IAPMO			790220 790125 701039 701044

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inch & mm and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.