





## 196.4501 | Three Output 3/4" Thermostatic Valve & Trim



Trim  
[ 196.4501T\*\* ]



Valve  
[ TVH.4501 ]

Belgian Mirror Finish



### SPECIFICATIONS:

- Turn middle knob to control temperature.
- Turn top knob to divert water flow between outlets 1 & 2.
- Turn bottom to control water flow of outlet 3.
- Thermostatic Valve Flow Rate - 13.0 GPM @ 60 PSI
- Extension Available - TVH.4401E\*\*

### FAST SHIP FINISHES:

- Chrome - 196.4501CP / Brushed Nickel - 196.4501BN



A separate volume control is **not** needed to turn water supply off. Volume control functionality is integrated within this valve.

Legislation Compliance







*ZeroDrip* Technology









See Spec Sheet For  
TVH.4501 For Detailed  
Information On Valve.

### Technical Diagram



### Water Diversion Diagram




Critical Dimensions in Inches

[www.isenbergfaucets.com](http://www.isenbergfaucets.com)

## TVH.4501 | Three Output 3/4" Thermostatic Valve

Page 1 of 2



### SPECIFICATIONS:

- Turn middle knob to control temperature.
- Turn top knob to divert water flow between outlets 1 & 2.
- Turn bottom knob to control water flow of outlet 3.
- Thermostatic Valve Flow Rate - 13.0 GPM @ 60 PSI

### STANDARDS:

- ASME A112.18.1 / CSA B125.1



A separate volume control is **not** needed to turn water supply off. Volume control functionality is integrated within this valve.

### WARRANTY:

- Limited lifetime warranty to the original consumer purchaser against finish and workmanship



Legislation Compliance



ZeroDrip Technology



### Technical Diagram



## TVH.4501 | Three Output 3/4" Thermostatic Valve Page 2 of 2



### Water Flow Diagram

