

# KBU14E

## Outlast 31 1/2 Inch Undermount Single Bowl Stainless Steel Kitchen Sink

# Kräus<sup>®</sup>

SPECIFICATION SHEET

### Sink Dimensions

Overall Dimensions: 31 1/2" x 18 3/8"

Bowl Dimensions: 29 1/2" x 16 1/4"

Sink Depth: 9 7/8"

### Features

- 16 Gauge Stainless Steel Construction
- Single Bowl Undermount Pressed Sink
- Required Minimum Cabinet Size: 36" Left to Right, 24" Front to Back
- Center-Set Drain
- 3 1/2" Drain Opening
- NoiseDefend Undercoating and Sound Dampening Pads



### Accessories Included

- Basket Strainer BST-1
- Bottom Grid KBG-14
- Cut-Out Template
- Mounting Hardware
- Towel

### CODES/STANDARDS:

#### Product Certification

cUPC (ASME A112.19.3/CSA B45.4)



### Warranty

Kraus Limited Lifetime Warranty

see website for details [www.kraususa.com](http://www.kraususa.com)

Kraus USA Customer Service

1.800.775.0703 | [customerservice@kraususa.com](mailto:customerservice@kraususa.com)

REV. December 3, 2019

## KBG-14


### Stainless Steel Kitchen Sink Bottom Grid

#### Grid Dimensions

Overall Dimensions: 27 1/2" x 14" x 1 1/4"

#### Features


- Commercial grade stainless steel construction
- For Use with the KBU14 and KBU14E kitchen sinks
- Protects bottom of sink from daily wear and tear
- Rubber feet provide additional protection



#### Warranty

Kraus One Year Limited Warranty

see website for details [www.kraususa.com](http://www.kraususa.com)



## BST-1

### Stainless Steel Basket Strainer

#### Basket Strainer Dimensions

Overall Dimensions: 4 1/2" x 4 1/2"

#### Features

- Premium Stainless Steel Construction
- Fits Standard 3 1/2" or 4" Drain Openings
- Removable Basket Prevents Debris from Clogging Drain Pipe

#### Warranty

Kraus Limited Lifetime Warranty

see website for details [www.kraususa.com](http://www.kraususa.com)

